

www.bryair.com



Bry-Air®
Tray Dryers
(FSD Series)

Upgrade your preservation process, improve product life, increase profits !



The **Bry-Air** Tray Dryer – for drying temperature sensitive food products

Temperature sensitive items like spices, katha, seeds etc. can be dried quickly in any weather using low temperature dry air.

Bry-Air Tray Dryers, based on the state-of-the-art Desiccant Dehumidification drying technology, dry the products to the required level in approximately eight hours without affecting their quality.

High efficiency and reliability

- A totally self-contained unit
- CNC fabricated unit(s) with powder coated finish
- Rotor media has high performance metal silicates synthesized in situ
- Rotor incorporates robust internal structure with stainless steel perimeter flange for industrial quality and durability
- Rotor perimeter flange extends media and seal life.
- Edge hard face coating on rotor ensures long life and good sealing for media and seals
- Rotor is non-flammable with organics < 2%
- Water cooled inter-cooler


Necessary control and safety

- Differential air pressure switch for proving react air flow
- High temperature safety thermostat cut-out
- Reactivation cool down safety device
- Electrical interlocking of fan motors, heaters and rotor drive
- Unique PTFE bonded silicon bulb seal design; minimized air leakage

Incorporating high performance, **EGG DRY** metal silicate fluted desiccant synthesized rotor's



Tray Dryer (FSD Series)



Technical Specifications

Model	Process Air Flow CMH	Process ESP (Pa.)	Process Motor kw	React Air Flow CMH	React ESP (Pa.)	React Motor kw	React Heater kw	Seed Drying kg/8hr	Tray Size m3 / Qty	Dimension			Power* Reqd. V / Q / Hz	Approx Weight kg
										A mm	B mm	C mm		
FSD-600	600	750	1.1	200	750	0.37	7.2	180	0.036/10	1730	2380	1230	415/3/50	465
FSD-1200	1200	750	1.1	400	750	0.75	14.4	360	0.036/20	2410	2380	1230	415/3/50	630
FSD-1800	1800	850	1.5	600	750	0.76	21.6	540	0.036/30	3272	2395	1330	415/3/50	745


* Note: Other voltage available are 200/220/240/380/440/460 VAC, 3Ph, 50/60 Hz. ** All data are subject to change.



Tray Dryer – Based on the principle of dehumidification

Incorporating a unique air distribution pattern

How does it work ?



Bry-Air Tray Dryer consists of a chamber with trays for keeping the products to be dried and a Desiccant Dehumidifier which continuously feeds dry air to the chamber. This unique air distribution pattern optimises drying capacity and time.

Available in three models, Bry-Air Tray Dryers' drying capacities range from 180 kg to 540 kg per 8 hrs.

We are never too far from you!



- ★ Plants
- ▲ Associate Plant
- Own Sales & Services Offices
- Rep. Network

VISIT US AT
www.bryair.com

Bry-Air®

Leaders in Dehumidification... Worldwide

BRY-AIR (ASIA) PVT. LTD.

Corporate Office:	City	Phone	E-mail
21C, Sector-18, Gurugram 122015	DELHI	+91-11-23906666	enquire@pahwa.com
Phone: +91-124-4091111	CHANDIGARH	+91-172-4678806/7	bryairchandigarh@pahwa.com
Fax: +91-124-4091100	MUMBAI	+91-22-24935155/24947475	bryairmumbai@pahwa.com
E-mail: bryairmarketing@pahwa.com	VADODARA	+91-265-2351493	bryairbaroda@pahwa.com
Registered Office:	KOLKATA	+91-33-22814841/22814877	bryairkolkata@pahwa.com
20, Rajpur Road, Delhi 110054	BENGALURU	+91-80-43025562/3/4/5	bryairbangalore@pahwa.com
Phone: +91-11-23906666	HYDERABAD	+91-40-27154243	bryairhyderabad@pahwa.com
Fax: +91-11-23906600	CHENNAI	+91-44-48606141/2/3	bryairchennai@pahwa.com
E-mail: enquire@pahwa.com	KOCHI	+91-484-2395940	bryairkochi@pahwa.com
Web.: www.bryair.com			
CIN: U74210DL1981PTC012456			

An ISO 9001:2015 and 14001:2015 Company

Enter Bry-Air... exit moisture



Country	Phone	E-mail	Website
BRY-AIR (USA)	Phone: +1-740-965-2974 Fax: +1-740-965-5470		
BRY-AIR (MALAYSIA)	Phone: +60-3-89256622 Fax: +60-3-89259957		
BRY-AIR (CHINA)	Phone: +86-21-34126537 E-mail: info@bryair.com.cn Website: www.bryair.com.cn		
BRY-AIR (BRAZIL)	Phone: +55-41-36982222 E-mail: contato@bryair.com.br Website: www.bryair.com.br		
BRY-AIR (UAE)	+971-6-5574622	support@bryair.ae	www.bryair.com/uae
BRY-AIR (PHILIPPINES)	+63-2-88078435/6/7	mail@bryair.com.ph	www.bryair.com/philippines
BRY-AIR (INDONESIA)	+62-21-79199023	indomark@bryair.com.my	www.bryair.com.my/indonesia
BRY-AIR (VIETNAM)	+84-8-3996498	vietmarketing@bryair.com.my	www.bryair.com.my/vietnam
BRY-AIR (NIGERIA)	+234-8097276772	bryairnigeria@pahwa.com	www.bryair.com/nigeria
BRY-AIR (SWITZERLAND)	+41-91-6830971	info@pro-kon.ch	www.bryairprokon.com
BRY-AIR (BANGLADESH)	+880-1819409100	bryairbangladesh@pahwa.com	www.bryair.com/bangladesh

©, ® & 'TM' of Bry-Air (Asia) Pvt. Ltd.

PAWA GROUP
Innovation is life

DEH/SMS/2019/114/R4